General Index to Volume 149

Aar Massif, Switzerland, recurrent fault activity revealed by isotope techniques, 293–301
Absolute dating of fault movements [thematic set] and:
——dating of Late Quaternary faulting in northern Sweden, 285–91
——ESR studies for absolute dating of fault movements, 265–72
——Introduction: absolute dating of fault movements, 249–50
——palaeomagnetic analysis of fault gouge and dating fault movement, Anglesey, North Wales, 273–84
——radiocarbon dating of late Quaternary fault segments and systems, 257–60
——recurrent fault activity in the Gimsel Test Site (GTS, Switzerland): revealed by Rb-Sr, K-Ar and Tritium isotope techniques, 293–301
——remarks on ESR dating of fault movements, 261–4
——when is a fault 'extinct'?, 251–5
adakites, derived from metamorphosed basalt, C America, 574–5
Adamellites, Ox Mountains, emplacement in transpressive shear zone, 228–31
Africa, position of, early Cambrian, 604
Alexander Island, Antarctic, Mesozoic radiolaria and palaeoceanography, 1004–6
ALEXANDER, J., nature and origin of a laterally extensive alluvial sandstone body in the Middle Jurassic Scalby Formation, 431–41, figs
ALGEO, T. J., on modern and ancient continental hypsometries [reply to discussion], 859–62, figs
Alice Springs orogeny, C Australia, timing of, 949–50
alluvial sandstones, nature and origin, in M Jurassic Scalby Formation, 431–41
alluvial stratigraphy, and thrust front development, in piggyback basin, Jaca, Spain, 51–63
amphibole chemistry, of pipe aureoles, Guernsey, 714–16
anatexis and magmatism, Kashmir Himalayas, 757
ANDERSEN, T. B., *see* TORSVIK, T. H..
ANDERSON, M. W., BARKER, A. J., BENNET, D. G. & DALLMEYER, R. D., a tectonic model for Scandian terrane accretion in the northern Scandinavian Caledonides, 727–41, figs
andesite field, in Borrowdale Volcanic Group, England, 889–906
Anglesey, N Wales, palaeomagnetic dating of fault movement in, 273–84
Anglian, Hoxnian pollen spectra, Malvern Hills, 89–90
Anglian and Hoxnian palaeovalley fills, Malvern Hills, 75–92
Anglian palaeovalley-fill, west of Malvern Hills, 75–92
anhydrite, as a phenocryst phase in calc-alkaline magmas, 863–6
Antarctic Peninsula, Mesozoic radiolarian faunas, tectonic, palaeoceanographic significance, 1003–20
Aptian-Albian transgressions, and tectonics, Wessex Basin, 443–54
$^{40}Ar/^{39}Ar$, K-Ar dating, of Palaeozoic intracratonic thrust belt, Australia, 937–54
——, and Ka-Ar geochronology, of metamorphism, Kashmir Himalayas, 765–7
$^{40}Ar/^{39}Ar$ ages, for terrane accretion, Caledonian nappe stack, Scandinavian Caledonides, 732–4
$^{40}Ar/^{39}Ar$ mineral ages, and timing of post-tectonic Cadomian magmatism, Guernsey, Channel Islands, 139–47
$^{40}Ar/^{39}Ar$ mineral cooling ages, post-tectonic intrusions, Guernsey 139–47
Arabian plate, U Palaeozoic tectono-sedimentary evolution of, 419–29
Arc-continent collision, involvement of footwall during, Ungava orogen, Canada, 237–48
Archean footwall, involvement of, during arc-continent collision, Ungava orogen, N Canada, 237–48
archaeocyathans, centre of origin and radiation, Cambrian, 596–7
Armorican Massif, granite magma generation in transpressional orogen, 487–90
Arran, Scotland, geochemistry of REE and yttrium, during late diagenesis, 690–2
Arunta block, C Australia, unusual Palaeozoic intracratonic thrust belt in, 937–54
Atlantic, N, evidence for Early Proterozoic crustal provinces in, 483–6
——, NE, dinoflagellate biostratigraphy of Quaternary of Rockall Plateau, 7–12
Australia, fluid flow direction during contact metamorphism around Burstall Granite, 693–6
——, Palaeozoic intracratonic thrust belt, 937–54
——, S, ion-probe zircon dating of Early Cambrian tuff, 185–92
AUVRAY, B., PEUCAT, J. P. & BRUN, J. P., on tectonothermal chronology of early Cadomian arc development in Guernsey and Sark, Channel Islands [discussion of: DALLMEYER, *et al.*], 683–6
——, *see* BREMOND D'ARS, J. de.
Avalonia, E, and Iapetus closure, E Ireland, 65–74
——, ——, Ordovician palaeolatitudes from Borrowdale Volcanic Group, 881–8
——, position of, early Cambrian, 603–4
Avalonia–Laurentia convergence, and Silurian closure of Iapetus, 872–3
backstripping, to determine water-loaded subsidence, Subalpine Chain, France, 519–22
——, explained, Valencia trough, 815–19
bacterial sulphur, in massive sulphide deposit, Palaeozoic, Cae Coch, N Wales, 581–4
Baltica, position of, early Cambrian, 603
BARCLAY, W. J., BRANDON, A., ELLISON, R.A. & MOORLOCK, B. S. P. A Middle Pleistocene palaeovalley-fill west of the Malvern Hills, 75–92, figs
BARKER, A. J., *see* ANDERSON, M. W.
BARNES, R. P., *see* LINTERN, B. C.
BARR, D., passive continental margin subsidence, 803–4
basaltic dyke suite, Kohistan, Pakistan, geochemistry, petrogenesis, 107–14
basalts, high Nb, in arc-related young volcanism, C America, 569–79
basin analysis, significance of hardgrounds for, Jurassic, W India, 313–31
basin development, Western Approaches Basin, SW UK Continental Shelf, 413–17
basin inversion, in N Kenya Rift, 343–4
BEDDOE-STEPHENS, B., *see* PETTERSON, M. G.
BELLON, H., *see* DEFANT, M. J.
BENNETT, D. G., *see* ANDERSON, M. W.
Beryl Basin, N Sea, controls on Triassic sedimentation in, 13–26
Betic Cordillera, Spain, sedimentary basin, destruction in, 1021–9
biogeography, of Grangegeeth terrane, and Iapetus suture, Ordovician, E. Ireland, 3–6
biomineralization, of metazoans, at Precambrian–Cambrian boundary, 655–68
Birchy Complex, Newfoundland, extension into Ireland, 159–62
Birkby Fell Member, basaltic andesites, of Birker Fell Formation, Ordovician, Lake District, 899
Birker Fell Formation, andesites of, in Borrowdale Volcanic Group, 889–906
BIRPS reflection profiling, deep structure of S Ireland from, 915–22

BLAKE, S., WILSON, C. J. N., SMITH, I. E. M. & WALKER, G. P., petrology and dynamics of the Waimihia mixed magma eruption, Taupo Volcano, New Zealand, 193–207, figs
BOIS, C., *see* LE GALL B.
Bon Repos meladiorite, Guernsey, geochronology of, 142
Bordeaux diorite complex, Guernsey, geochronology of, 142–3
Bordeaux Diorite Group, Guernsey, magma chamber petrology of, 702–8
Borrowdale Volcanic Group, England, plateau-andesite field in, 889–906
——, palaeomagnetic data and Ordovician palaeolatitudes, 881–8
Bosost dome, Pyrenees, Hercynian tectonometamorphic evolution of, 156–8
BOTT, M. H. P., passive-margins and their subsidence, 805–12, figs
BOTTRELL, S. H. & MORTON, M. D. B., a reinterpretation of the genesis of the Cae Coch pyrite deposit, North Wales, 581–4, figs
BRANDON, A., *see* BARCLAY, W. J.
BRASIER, M. D., background to the Cambrian Explosion, 585–7, figs
——, nutrient-enriched waters and the early skeletal fossil record, 621–9, figs
——, *see* MCKERROW, W. S.
BREMOND D'ARS, J. de, MARTIN, H., AUVRAY, B. & LECUYER, C., petrology of a magma chamber: the Plutonic Complex of Guernsey (Channel Islands, UK), 701–8, figs
BRISTOW, C. S., *see* MATTHEWS, S. J.
Brittany, N, timing and kinematics of Cadomian deformation, 151–5
BROOKS, M., on the crustal evolutionary model for the Variscides of Ireland and Wales from SWAT seismic data [discussion of: LE GALL], 681–2
BROWN, M., *see* D'LEMOS, R. S.
——, *see* STRACHAN, R. A.
BRUN, J.-P. on the timing and kinematics of Cadomian deformation (Northern Brittany) [discussion of: STRACHAN *et al.* (1989); STRACHAN & ROACH; TRELOAR & STRACHAN; STRACHAN *et al.* (1990)], 151–5
——, *see* AUVRAY, B,
BRUNEL, M., *see* CHAUVET, A.
BULL, J. M. & SCRUTTON, R. A., seismic reflection images of intra-plate deformation, central Indian Ocean, and their tectonic significance, 955–66, figs
Burgess Shale-type faunas, and 'Cambrian explosion', 631–6
Burstall Granite, Australia, fluid flow during metamorphism, 693–6
BUTLER, R. W. H., GEORGE, M., HARRIS, N. B. W., JONES, C., PRIOR, D. J. TRELOAR, P. J. & WHEELER, J., geology of the northern part of the Nanga Parbat massif, northern Pakistan, and its implications for Himalayan tectonics, 557–67, figs
——, GRASSO, M. & LA MANNA, F. origin and deformation of the Neogene–Recent Maghrebian foredeep at the Gela Nappe, SE Sicily, 547–56, figs
Büyük Menderes Graben, SW Turkey, faulting, sedimentation, drainage patterns, 1037–40
BYRNE, T., *see* LUCAS, S. B.
C4, and CAM plants in geological record, 674–5
Cadomian arc development, tectonothermal chronology of, Channel Islands, 683–6
Cadomian belt, granite magma generation in a transpressional orogen, 487–90
Cadomian deformation (N Brittany), timing and kinematics, 151–5
Cadomian magmatism, Guernsey, Channel Islands, timing of, 139–47
Cae Coch pyrite deposit, N Wales, genesis of, 581–4
Caithness, Orkney, organic maturation in Devonian of, 494–5
calc-alkaline volcanic rocks, model for S behaviour in, Pinatubo 1991 eruption, 863–6
calcification, in marine cyanobacteria, 979–89
Caledonian granites, and WIRE 1/1B deep seismic profile, S Ireland, 917–8
Caledonian structure, in oblique convergence zone, Dronning Louise Land, NE Greenland, 359, maps 360–1; 362–71
Caledonides, Scandinavia, geophysics of Honningsvåg igneous complex of, 373–81
Cambrian, early, continental reconstructions, 599–606
——, Early, zircon U-Pb ages for time-scale, 171–84
Cambrian Explosion, background to, 585–7
Cambrian explosion, and Burgess Shale-type faunas, 631–6
Cambrian faunal radiation, and problems of Precambrian–Cambrian transition, 593–8
Cambrian tuff, S Australia, ion-probe (SHRIMP) zircon date for, 185–92
Canada, N, footwall involvement during arc-continent collision, Ungava orogen, 237–48
Cape Smith Thrust Fold Belt, and arc–continent collision, Ungava orogen, 238–41
Caples–Torlesse boundary, in Otago Schist New Zealand, 967–77
carbon cycle, biological, and phosphorus levels, at Precambrian–Cambrian boundary, 621–2
carbon isotope variations, across Precambrian–Cambrian boundary, 664–5
carbon isotopes, and CO_2 content of palaeoatmosphere, 673–6
carbon–sulphur ratios, in pyrite deposit, Cae Coch, N Wales, 582–3
carbonate precipitation, through time, indicators and controls, 982–4
carbonate–evaporite basins, sequence stratigraphy of, U Permian, NE England, 1050–4
carbonates and environmental change, across Precambrian–Cambrian boundary, 655–68
Carboniferous, Late, periodicity and magnitude of glacio-eustatic sea-level changes in, 303–11
——, Lower, SW Ireland, evidence for buried granites in, 163–6
Carboniferous inversion, versus Devonian extensional tectonics, Orcadian basin, 27–37
Carboniferous magmatism, in Iapetus convergence zone, evidence from seismic reflection, 907–14
CARTWRIGHT, I. & OLIVER, N. H. S., direction of fluid flow during contact metamorphism around the Burstall Granite, Australia [Special], 693–6, figs
——& VALLEY, J. W., oxygen-isotope geochemistry of the Scourian complex, northwest Scotland, 115–25, figs
cementation, timing of, in Mesozoic sandstones, offshore Norway, 479–82
Cenozoic, Sicily, deformation of Maghrebian foredeep, 547–56
——, Turkey, extensional tectonics in, 533–8
CERLING, T. E., further comments on using carbon isotopes in palaeosols to estimate the CO_2 content of the palaeo-atmosphere [discussion of: WRIGHT & VANSTONE], 673–6
Channel Islands, Cadomian arc development in, 683–6
——, Guernsey, granite–diorite interaction, 709–20
——, ——, magma chamber petrology in Plutonic Complex, 701–8
——, ——, timing of post-tectonic Cadomian magmatism, 139–47
CHANNEL, J. E. T. & MCCABE, C., palaeomagnetic data from the Borrowdale Volcanic Group: volcano-tectonics and Late Ordovician palaeolatitudes, 881–8, figs
CHAPMAN, T. J., *see* HILLIS, R. R.
CHAUVET, A., KEINAST, J. R., PINARDON, J. L. & BRUNEL, M., petrological constraints and PT path of Devonian collapse tectonics within the Scandian mountain belt (Western Gneiss Region, Norway), 383–400, figs
China, Precambrian–Cambrian sequences radiometrically dated, 171–84
CHURCH, W. R., on the traces of the Iapetus suture in Ireland and Britain [discussion of: TODD, MURPHY & KENNAN], 1048–9
Cimmerian unconformity surface, as multiple unconformable horizons, Wessex Basin, 443–54
CLAUER, N. *see* KRALIK, M.

CLIPSTONE, D. & ROYCROFT, P., detrital magmatic muscovite from the Lower Carboniferous of southwest Ireland: buried granites uncovered? [Special], 163–6, figs
CO_2 content, of palaeoatmosphere, estimated by carbon isotopes, 673–6
Cobo granite, Guernsey, diorites and geochronology, 143–4
Cockley Beck Tuff, of Birker Fell Formation, Ordovician, Lake District, 900
Coddington Till, Anglian, Malvern Hills, 82–3
'collapse basins', in M Devonian, Norway, controlled by post-Caledonian extension, 383–400
collapse tectonics, *PT* path of, Devonian, Scandian mountain belt, Norway, 383–400
Colwall Gelifluctate, Hoxnian, Malvern Hills, 84
COMPSTON, W., WILLIAMS, I. S., KIRSCHVINK, J. L., ZHANG ZICHAO & MA GUOGAN, zircon U-Pb ages for the Early Cambrian time-scale, 171–84, figs
——, *see* COOPER, J. A.
concretion levels, and hardgrounds, significance for basin analysis, Jurassic, W India, 313–31
condensed horizon, Dhosa Oolite, Jurassic Kachchh, India, marker in basin analysis, 322–8
condensed horizons, significance for basin analysis, Jurassic, W India, 313–31
conglomerates, in piggyback basin, W Jaca, Pyrenees, 55–8
contextual dating, of fault movements, 259–60
continental break-up, causes of, and magmatism, 669–71
continental crust, thinning and extension, W Galicia margin, 833–5
continental margins, N Atlantic, crustal structure and magmatism, 841–54
——, non-volcanic crustal structure and magmatism, N Atlantic, 847–53
——, volcanic, crustal structure and magmatism, N Atlantic, 842–7
——, passive subsidence of, 803–4
continental non-volcanic conjugate margins, Galicia–Flemish Cap, constraints on formation, 829–40
continental reconstructions, early Cambrian, 599–606
CONWAY MORRIS, S., Burgess Shale-type faunas in the context of the 'Cambrian explosion': a review, 631, figs
COOK, P. J., phosphogenesis around the Proterozoic–Phanerozoic transition, 615–20, figs
COOPER, J. A., JENKINS, R. J. F., COMPSTON, W. & WILLIAMS I. S., ion-probe zircon dating of a mid-Early Cambrian tuff in South Australia, 185–92, figs
Costa Rica, and Panama, geochemistry of young volcanism in, 569–79
counterpoint bars, in Scalby Formation, M Jurassic, Yorkshire, 437–9
COWIE, J. W., two decades of research on the Proterozoic–Phanerozoic transition: 1972–1991, 589–92, figs
Cradley Silts, Anglian, Hoxnian, Malvern Hills, 83–4
Craghouse Member, ignimbrite, of Birker Fell Formation, Ordovician, Lake District, 898
CRESPO-BLANC, A., structure and kinematics of a sinistral transpressive suture between the Ossa–Morena and the South Portuguese Zones, South Iberian Massif, 401–11, figs
Cretaceous basaltic dykes, Pakistan, geochemistry, petrogenesis, 107–14
Cretaceous tectonics and unconformities, Wessex Basin, S England, 443–54
CRIMES, T. P., changes in the trace fossil biota across the Proterozoic–Phanerozoic boundary, 637–46, figs
crustal structure, and extended continental lithosphere, Valencia trough, 813–27
Cuvette Centrale, Zaire, tectonics of 539–46
cyanobacteria, temporal variation in calcification, 979–89
cyanobacterial history, 985–7
cyclical sedimentation, periodicity, magnitude, Late Carboniferous, England, USA, 303–11
cyclicity, chemical, in Lower Lias mudstones, Yorkshire, UK, 991–1002
$\delta^{13}C$ values, at Precambrian-Cambrian boundary, 622–4
D'LEMOS, R. S., magma-mingling and melt modification between granite pipes and host diorite, Guernsey, Channel Islands, 709–20, figs
——, BROWN, M. & STRACHAN, R. A., granite magma generation, ascent and emplacement within a transpressional orogen [Special], 487–90, figs
——, *see* DALLMEYER, R. D.
——, *see* DALLMEYER, R. D.
——, *see* STRACHAN, R. A.
DALLMEYER, R. D., D'LEMOS, R. S. & STRACHAN, R. A., timing of post-tectonic Cadomian magmatism on Guernsey, Channel Islands: evidence from $^{40}Ar/^{39}Ar$ mineral ages, 139–47, figs
——, ——,—— & MUELLER, P. A., on tectonothermal chronology of early Cadomian arc development in Guernsey and Sark, Channel Islands [reply to discussion], 683–6
——, *see* ANDERSON, M. W.
Dalradian cover, NW Mayo, Inishkea Division now known to be, 167–70
DALY, M. C., LAWRENCE, S. R., DIEMU-TSHIBAND, K. & MATOUANA B., tectonic evolution of the Cuvette Centrale, Zaire, 539–46, figs
DE BOER, J. Z., *see* DEFANT, M. J.
Deccan Traps, India, geological map and structural implications, 473–8
DEFANT, M. J., JACKSON, T. E., DRUMMOND, M. S., DE BOER, J. Z., BELLON, H., FEIGENSON, M. D., MAURY, R. C. & STEWART, R. H., the geochemistry of young volcanism throughout western Panama and southeastern Costa Rica: an overview, 569–79, figs
demagnetization behaviour, of fault gouge, country rock, and fault dating, Anglesey, 276–7
Devoke Water Member, basaltic lapilli tuffs, of Birker Fell Formation, Ordovician, Lake District, 898–9
Devonian, organic maturation and hydrocarbon generation in Orcadian Basin, 491–502
Devonian basins, Shetland, and Walls Boundary Fault, 724–5
Devonian collapse tectonics, *PT* path of Scandian mountain belt, Norway, 383–400
Devonian extension, contrasted with Carboniferous inversion, Orcadian basin, 27–37
Dhosa Oolite Member, of Chari Formation, Jurassic, Kachchh, India, marker horizon for basin analysis, 322–8
diagenesis, late, mobility of REE and yttrium during, 689–92
——, of Mesozoic sandstones, offshore, Norway, 479–82
DICKIN, A. P., evidence for an Early Proterozoic crustal province in the North Atlantic region [Special], 483–6, figs
DIEMU-TSHIBAND, K., *see* DALY, M. C.
dinoflagellate cyst biostratigraphy, Quaternary, Rockall Plateau, 7–12
DIXON, T. H., *see* MILLER, M. M.
Dolomites, Italy, measurement of lithospheric stretching on Tethyan margins at, 518–32
dolomites, Precambrian, 658–9
domino faults and boudins, in anisotropic fault geometries, 799–800
drainage patterns, faulting and sedimentation SW Turkey, 1031–44
drainage systems, used to infer sedimentary basin destruction, Betic Cordillera, Spain, 1021–9
Dronning Louise Land, NE Greenland, Caledonian structure within oblique convergence zone, 359–71
DRUMMOND, M. S., *see* DEFANT, M. J.
eclogites, and *PT* path of Devonian collapse tectonics, Norway, 386–8
ECORS-SWAT GROUP, *see* LE GALL, B.
Ediacara-type macrofossils, Psammocorallia and Vendobionta, 607–13
Ediacara-type biota, Vendobionta and Psammocorallia, 607–13
Ediacaran survivors, in Burgess Shale-type faunas, 632
Elgayo basin, N Kenya Rift, tectonic evolution of, 339–43

ELLISON, R. A., *see* BARCLAY, W. J.
emplacement model, for Ox Mountains igneous complex, 231–2
ENGLAND, R. W., *see* SOPER, N. J.
England, Lake District, plateau-andesites in Borrowdale Volcanic Group, 889–906
——, Scotland, E Ireland, Iapetus suture zone of, 697–700
ESR, absolute dating of fault movements by, 265–72
ESR (electron spin resonance) dating of fault movements, 261–4
eustatic sea-level changes, Late Carboniferous, periodicity and magnitude, 303–11
evolution, patterns of, and Cambrian faunal radiation, 594–6
expert system, simulation of geological processes, 455–63
expert systems, in geological interpretation and evaluation, 149
extensional tectonics, Cenozoic, W Turkey, 533–8
——, Devonian, versus Carboniferous inversion, Orcadian basin, 27–37
extinction, of metazoans, at Precambrian–Cambrian boundary, 655–68
fault activity, recurrent, Switzerland, revealed by isotope techniques, 293–301
fault 'extinction', explored, defined, 251–5
fault geometry, effects of layering and anisotropy upon, 793–802
fault gouge, palaeomagnetic properties of, and dating of fault movement, Anglesey, N Wales, 273–84
fault movement, palaeomagnetically dated, Anglesey, N Wales, 273–84
fault movements, absolute dating by ESR
——, absolute dating of, 249–50
——, dating by ESR, 261–4
fault scarps, Sweden, used in fault dating, 285–91
fault systems, late Quaternary, radiocarbon dating of, 257–60
faulting, drainage patterns and sedimentation, SW Turkey, 1031–44
faults, dating of, Late Quaternary, Sweden, 285–91
FEIGENSON, M. D., *see* DEFANT, M. J.
Felixkirk borehole, in Redcar Mudstone Formation, cyclicity in, 998–1001
FERNANDEZ, J., *see* VISERAS, C.
FLINN, D., the history of the Walls Boundary Fault, the northward continuation of the Great Glen fault from Scotland, 721–6, figs
fluid circulation, of REE and Yttrium during late diagenesis, Arran, Scotland, 690–2
fluid flow, in basins, simulated by expert system, 456
——, direction during contact metamorphism, Burstall Granite, Australia, 693–6
fluid inclusions, evidence for timing of cementation, in offshore Mesozoic sandstones, Norway, 479–82
fluid–rock interaction, Scourian complex, 115–25
FORD, M., KLEMPERER, S. L. & RYAN, P. D., deep structure of southern Ireland: a new geological synthesis using BIRPS deep reflection profiling, 915–22, figs
fossil record, Precambrian–Cambrian, role of nutrient-rich waters in transforming, 621–9
FOWLER, M. B., elemental and O-Sr-Nd isotope geochemistry of the Glen Dessary syenite, NW Scotland, 209–30, figs
France, Subalpine Chains, organic maturation, thermal and burial history, 503–15
France–Spain, post-emplacement thrust sheet extension, Pyrenees, 775–92
FRIDERICHSEN, J. D., *see* STRACHAN, R. A.
FROSTICK, L. E., LINSEY, T. K. & REID, I., tectonic and climatic control of Triassic sedimentation in the Beryl Basin, northern North Sea, 13–26, figs
FRYER, B. J., *see* OWEN, J. V.
FUKUCHI, T., ESR studies for absolute dating of fault movements, 265–72, figs
FÜRSICH, F. T., OSCHMANN, W., SINGH, I. B. & JAITLY, A. K., hardgrounds, reworked concretion levels and condensed horizons in the Jurassic of western India: their significance for basin analysis, 313–31, figs
Galicia–Flemish Cap, passive conjugate margin, constraints on formation, 829–40
GAMBLE, J. A., MEIGHAN, I. G. & MCCORMICK, A. G., the petrogenesis of Tertiary microgranites and granophyres from the Slieve Gullion Central Complex, NE Ireland, 93–106, figs
GAYER, R. A., *see* SOPER, N. J.
Gediz Graben, SW Turkey, faulting, sedimentation, drainage patterns, 1032–7
Gela Nappe, SE Sicily, and origin of Maghrebian foredeep, 547–56
geochemistry, carbon and sulphur, in Cae Coch pyrite deposit, N Wales, 582–3
——, of Cretaceous basaltic dykes, Jutal, Pakistan, 107–14
——, of Glen Dessary syenite, for O-Sr-Nd, 209–20
——, of granite pipes, Guernsey, 712–16
——, of granitic rocks, Slieve Gullion, Ireland, 95–100
——, of Lettergesh Formation turbidites, Silurian, Galway, 350–2
——, of leucogranites, Nanga Parbat massif, Pakistan, 564–6
——, and metamorphic evolution of Southwestern Gneiss Region, Norway, 386–94
——, of mixed magma eruption, Taupo volcano, New Zealand, 197–201
——, of Otago Schist, and petrographic basis for terrane discrimination, 971–5
——, oxygen-isotope, Scourian complex, NW Scotland, 115–125
——, and position of Caples–Torlesse boundary in Otago Schist, 967–77
——, of Potato Hill pluton, Newfoundland, and Grenvillian orogeny, 923–8
——, of REE and Yttrium, during late diagenesis, 690–2
——, thermobarometry, Kashmir Himalayas, 760–4
——, of volcanics, granites, Cenozoic, W Turkey, 534–5
——, of young volcanism, C America, 569–79
geochronology, Cadomian magmatism, Guernsey, 139–47
——, of extensional tectonics, W Turkey, 535–7
——, of metamorphism, Kashmir Himalayas, 765–7
——, of single Early Proterozoic crustal province, N Atlantic, 483–6
——, for Troms, Ofotfjorden, N Scandinavian Caledonides, 732–4
geophysics, of Honningsvåg igneous complex, Scandinavian Caledonides, 373–81
GEORGE, M., *see* BUTLER, R. W. H.
geothermometry, and geobarometry, in eclogites, Southwestern Gneiss Region, Norway, 394–7
GIBSON, R. L., on the Hercynian tectonometamorphic evolution of the Bosost dome (French–Spanish central Pyrenees) [discussion of: POUGET], 156–8
GIS (Geological Information Systems), geological applications of, 672
Glen Desarry syenite, Scotland, isotope geochemistry of, 209–20
gold, potential of prospects assessed by knowledge-based system, 465–71
GOLDFINDER, knowledge-based system for mineral processing, 465–71
GOODALL, I. G., HARWOOD, G. M., KENDALL, A. C. & MCKIE, T., on sequence stratigraphy of carbonate-evaporite basins: models and application to the Upper Permian (Zechstein) of northeast England and adjoining North Sea [discussion of: TUCKER], 1050–4, fig
Gördes Basin, Neogene, W Turkey, timing of Cenozoic extension in, 533–8
Grangegeeth terrane, and Iapetus suture zone, E Ireland, biogeography of, 3–6
granite magma generation, within a transpressional orogen, 487–90
granite–diorite interaction, Guernsey, Channel Islands, 709–20
granites, buried, SW Ireland, evidence for in L Carboniferous, 163–6
granitic pipes, in diorites, Guernsey, Channel Islands, 709–20
granodiorite, Ox Mountains, emplacement in transpressive shear zone, 223–8

GRANT, N. T., post-emplacement extension within a thrust sheet from the central Pyrenees, 775–92, figs
GRANT, S. M. & OXTOBY, N. H., the timing of quartz cementation in Mesozoic sandstones from Haltenbanken, offshore mid-Norway: fluid inclusion evidence [Special], 479–82, figs
GRASSO, M., *see* BUTLER, R. W. H.
Great Glen fault, continued N as Walls Boundary fault of Shetland, 721–6
Greece, Xanthi pluton, emplacement of, 855–7
Greenland, NE, Caledonian structure within oblique convergence zone, Dronning Louise Land, 359–71
GREENOUGH, J. D., *see* OWEN, J. V.
GREILING, R. O., *see* SOPER, N. J.
GRENVILLIAN TRANSPRESSION, and petrogenesis of Potato Hill pluton, Newfoundland, 923–35
Grimsel Test Site, Switzerland, isotope techniques used to reveal recurrent fault activity, 293–301
GRÜN, R., remarks on ESR dating of fault movements, 261–4
Guadix basin, Betic Cordillera, S Spain, transformation from aggradational to degradational style, 1021–9
Guernsey, Channel Islands, granite-diorite interaction, 709–20
——, ——, timing of post-tectonic Cadomian magmatism in, 139–4
——, Channel Islands (UK), magma chamber petrology in Plutonic Complex, 701–8
HAILWOOD, E. A., MADDOCK, R. H., TING FUNG & RUTTER, E. H., palaeomagnetic analysis of fault gouge and dating fault movement, Anglesey, North Wales, 273–84, figs
Haltenbanken, offshore Norway, timing of cementation in sandstones, 479–82
Hamisana zone, Sudan, Late Proterozoic evolution of, constraints on Pan-African accretion, 743–50
hardgrounds, Jurassic, W India, significance for basin analysis, 313–31
HARLAND, R., dinoflagellate cyst biostratigraphy of the last 2–3 Ma from the Rockall Plateau, northeastern Atlantic Ocean, 7–12, figs
HARPER, D. A. T., *see* OWEN, A. W.
HARPER, R. M., *see*, MORLEY, C. K.
HARRIS, N. B. W., *see* BUTLER, R. W. H.
HARWOOD, G. M., *see* GOODALL, I. G.
HAWKES, D. D., GOLDFINDER: a knowledge-based system for mineral prospecting, 465–71, figs
Hercynian, Pyrenees, tectonometamorphic evolution of Bosost dome, 156–8
Hercynian structure and kinematics, South Iberian Zone, 401–11
Hercynian tectonic event, in Arabian and adjoining plates, 419–29
HILLIER, S. & MARSHALL, J. E. A., organic maturation, thermal history and hydrocarbon generation in the Orcadian Basin, Scotland, 491–502, figs
HILLIS, R. R. & CHAPMAN, T. J., Variscan structure and its influence on post-Carboniferous basin development, Western Approaches Basin, SW UK Continental Shelf, 413–17, figs
Himalayan metamorphism, Kashmir, W Zanskar, P-T constraints, 753–73
Himalayas, geology and tectonics of Nanga Parbat massif, N Pakistan, 557–67
HOLDSWORTH, B. K. & NELL, P. A. R., Mesozoic radiolarian faunas from the Antarctic Peninsula: age, tectonic and palaeoceanographic significance, 1003–20, figs
HOLDSWORTH, R. E., *see* SOPER, N. J.
——, *see* STRACHAN, R. A.
HOLE, M. J., TREWIN, N. H. & STILL, J., mobility of the high field strength, rare earth elements and yttrium during late diagenesis [Special], 682–92, fig
HOLNSTEINER, R., *see* KRALIK, M.
Honningsvåg igneous complex, Scandinavian Caledonides, geophysics of, 373–81
HOUSE, M. R., on a guide to stratigraphical procedure [reply to discussion], 677–8
HUEMER, H, *see* KRALIK, M.
HUSSEINI, M. I., Upper Palaeozoic tectono-sedimentary evolution of the Arabian and adjoining plates, 419–29, figs
HUTCHISON, C. S. & SIVAM, S. P., on structural evolution of Mesozoic Peninsular Malaysia [discussion of: HARBURY, *et al.*], 679–80
Hyblean Foreland, to Maghrebian foredeep, Sicily, 549–50
hydrocarbon generation, and thermal history, in Orcadian Basin, Scotland, 491–502
hydrocarbon prospects, French Subalpine Chains, 511–12
hypsometries, continental, modern and ancient, 859–62
Iapetus, closure timing, and Silurian turbidites, Ireland, 349–57
——, sinistral transpression and Silurian closure, 871–80
Iapetus convergence zone, Carboniferous magmatism in, 907–14
Iapetus Ocean, and Tornquist Sea, new palaeomagnetic constraints on closure, 867–70
Iapetus suture, E Ireland, closure geometry across, 65–74
——, trace of, Ireland, Britain, 1048–9
Iapetus suture zone, England, Scotland, E Ireland, geological and deep seismic data, 697–700
——, Ordovician, E Ireland, 3–6
——, S Ireland, 916
Iberian Massif, sinistral transpressive suture between Ossa-Morena and S Portuguese Zones of, 401–11
ichnofossils, across Proterozoic–Phanerozoic boundary, 637–46
ignimbrites, and tephras, from mixed magma eruption, Taupo, New Zealand, 193–207
India, geological map of Deccan Traps and its structural implications, 473–8
——, W, significance of Jurassic hardgrounds for basin analysis, 313–31
Indian Ocean, seismic reflection images of intraplate deformation, 955–66
Inishkea Division, NW Mayo, Dalradian cover, not pre-Caledonian basement, 167–70
Inverian retrogression, fluid in filtration during, Scourian complex, 122–3
Iran, Devonian–Carboniferous tectonism in, 419–22
Ireland, E, closure geometry across Iapetus suture in, 65–74
——, ——, Ordovician biogeography of Grangegeeth terrane of, 3–6
——, extension of Birchy Complex of Newfoundland into, 159–62
——, Galway, Silurian turbidite provenance and the closure of Iapetus, 349–57
——, NE, Slieve Gullion Complex petrogenesis of Tertiary microgranites, 93–106
——, NW Mayo, Inishkea Division as Dalradian cover, 167–70
——, Ox Mountains, igneous emplacement in transpressive shear zone, 221–35
——, S, deep structure using BIRPS reflection profiling, 915–22
——, SW, evidence for buried granites in L Carboniferous of, 163–6
isotope geochemistry, elemental and O-Sr-Nd, of Glen Dessary syenite, NW Scotland, 209–20
isotopic analyses, of granitic rocks, Slieve Gullion, Ireland, 101–4
isotopic ratios, reset during cooling, Scourian complex, 120–2
Italy, S Alps, measurement of lithospheric stretching on Tethyan margin, 517–32
Jaca Basin, Pyrenees, alluvial mega-sequences and thrusting in piggyback basin, 51–63
JACKSON, T. E., *see* DEFANT, M. J.
JAITLY, A. K., *see* FÜRSICH, F. T.
JENKINS, R. J. F., *see* COOPER, J. A.
JEPSEN, H. F., *see* STRACHAN, R. A.
JOHNSON, E. W., *see* PETTERSON, M. G.
JOHNSTON, J. D., *see* VAUGHAN, A. P. M.
JONES, A. P., *see* MATTHEWS, S. J.
JONES, C., *see* BUTLER, R. W. H.
Jurassic, M, nature and origin of alluvial sandstone body in Scalby Formation, 431–41

——, W India, hardgrounds, concretion levels, their significance for basin analysis, 313–31
Jurassic–Cretaceous radiolaria, Antarctic Peninsula, palaeoceanographic significance, 1003–20
Jutal, Pakistan, geochemistry of Cretaceous basaltic dykes in, 107–14
K-Ar, fission track dating, of Palaeozoic intercratonic thrust belt, Australia, 937–54
K-Ar dating, of volcanics and granites, Cenozoic, W Turkey, 535–7
K-Ar radiometric dates, young basalts, C America, 572–4
Kachchh, W India, reworked concretions and basin analysis in Jurassic, 313–17
KALE, V. S., KULKARNI, H. G. & PESHWA, V. V., on a geological map of the southern Deccan Traps, India and its structural implications [discussion of: MITCHELL & WIDDOWSON], 473–8, figs
KAPPEL, F., *see* KRALIK, M.
KARAKORAM–TIBET WORKSHOP, 1045–7
KARANJA, F. M., *see* MORLEY, C. K.
Kashmir, P–T time constraints on Himalayan metamorphism, 753–73
Kazakhstan, position of, early Cambrian, 603
KENDALL, A. C., *see* GOODALL, I. G.
KENNEDY, M. J. & MENUGE, J. F., the Inishkea Division of northwest Mayo: Dalradian cover rather than pre-Caledonian basement [Special], 167–70, figs
Kenyan Rift, tectonic evolution of, 333, maps 334–5; 336–48
Kerme, Gulf of, SW Turkey, faulting, basin tilting, drainage, 1041–2
Ketilidian–Laxfordian orogeny, and single Early Proterozoic crustal province, N Atlantic, 483–6
KIENAST, J. R., *see* CHAUVET, A
Kill-Callow metabasalts, Ireland, compared with Birchy Complex, Newfoundland, 159–62
KIRSCHVINK, J. L., *see* COMPSTON, W.
KLEMPERER, S. L., *see* FORD, M.
Kohistan, Pakistan, tectonic contact with Nanga Parbat massif, 562–3
KOUKOUVELAS, I. & PE-PIPER, G., on the Oligocene Xanthi pluton, northern Greece: a granodiorite emplaced during regional extension [reply to discussion], 855–7, fig
KRALIK, M., CLAVER, N. M., HOLNSTEINER, R., HUEMER, H. & KAPPEL, F, recurrent fault activity in the Grimsel Test Site (GTS Switzerland): revealed by Rb-Sr, K-Ar and tritium isotope techniques, 293–301, figs
KULKARNI H. C., *see* KALE, V. S.
L'ANCRESSE GRANODIORITE, Cobo Granite, Guernsey, magma chamber petrology of, 703–8
LA MANNA, F., *see* BUTLER, R. W. F.
LAGERBÄCK, R., dating of Late Quaternary faulting in northern Sweden, 285–91, figs
Lake District, England, palaeomagnetism and Ordovician palaeolatitudes, 881–8
——, pre-caldera plateau-andesites in Borrowdale Volcanic Group, 889–906
Lansjärv, Sweden, dating of Late Quaternary faults near, 285–91
Larache–Acilah area, W Moroccan Rif, thrusting in Tertiary turbidites, 39–49
Laurentia, position of, early Cambrian, 603
LAWRENCE, S. R., *see* DALY, M. C.
LE BAS, M. J., Editorial, 1
LE GALL, B., BOIS, C. & ECORS-SWAT Group, on the crustal evolutionary model for the Variscides of Ireland and Wales from SWAT seismic data [reply to discussion], 681–2
Le May Group, Mesozoic, Antarctic Peninsula, radiolarian faunas and palaeoceanography, 1003–20
LEAT, P., magmatism and the causes of continental break-up [conference report], 669–71
LECUYER, C., *see* BREMOND D'ARS, J. de
LEEDER, M. R., *see* MAYNARD, J. R.
Lewisian complex, NW Scotland, post-Laxfordian magnetic imprint in, 127–37
Limbury Gravels, Wooldridge Gravels, Anglian, Malvern Hills, 83
LINSEY, T. K., *see* FROSTICK, L. E.
LINTERN, B. C., BARNES, R. P. & STONE, P., on Silurian and Early Devonian sinistral deformation of the Ratagain Granite, Scotland: constraints on the age of Caledonian movements on the Great Glen system [discussion of: HUTTON & MCERLEAN], 858
lithospheric stretching, on Tethyan passive margins, 517–32
Lomvi Formation, Triassic, Beryl Basin, tectonic and climatic control, 16
LONGSTAFFE, F. J. M., *see* OWEN, J. V.
Lotikipi plain, N Kenya Rift, tectonic evolution of, 339
Lower Lias, Yorkshire, cyclicity and gamma ray correlation, 991–1002
LUCAS, S. B. & BYRNE, T., footwall involvement during arc-continental collision, Ungava orogen, northern Canada, 237–48, figs
Lunde Formation, Triassic, Beryl Basin, tectonic and climatic control, 16–17
McCABE, C., *see* CHANNEL, J. E. T.
McCAVE, I. N., *see* VAN BUCHEM, F. S. P.
McCORMICK, A. G., *see* GAMBLE, J. A.
McCAFFREY, K. J. W., igneous emplacement in a transpressive shear zone: Ox Mountains igneous complex, 221–35, 14 figs
McDOUGALL, I., *see* SHAW, R. D.
McKERROW, W. S., SCOTESE, C. R. & BRASIER, M. D., early Cambrian continental reconstructions, 599–606, figs
McKIE, T., *see* GOODALL, I. G.
MA GUOGAN, *see* COMPSTON, W.
MADDOCK, R. H., absolute dating of fault movements [meeting report], 249–50
MADDOCK, R. H., *see* HAILWOOD, E. A.
Maghrebian foredeep, origin, deformation, at Gela Nappe, SE Sicily, 547–56
magmatism, and causes of continental break-up, 669–71
magnetic fabric, of fault gouge, and fault dating, Anglesey, 279–81
Malaysia, Peninsular, structural evolution of, 679–80
MALLARD, D. J., *see* MUIR WOOD, R.
Malvern Hills, Pleistocene palaeovalley-fill, west of, 75–92
marble, fluid flow within, during contact metamorphism, Australia, 693–6
marine transgressions, periodicity of, Late Carboniferous, 305–9
MARSHALL, J. E. A., *see* HILLIER, S.
MARTIN, H., *see* BREMOND D'ARS, J. DE
MASON, D. C., *see* WADGE, G.
Mathon Sand and Gravel, Anglian, Malvern Hills, 76–80
MATTHEWS, S. J., JONES, A. P. & BRISTOW, C. S., a simple magma-mixing model for sulphur behaviour in calc-alkaline volcanic rocks: mineralogical evidence from Mount Pinatubo 1991 eruption [Special], 863–6, figs
MATOUANA, B., *see* DALY, M. C.
MAURY, R. C., *see* DEFANT, M. J.
MAX, M. D., *see* WINCHESTER, J. A.
MAYNARD, J. R. & LEEDER, M. R., on the periodicity and magnitude of Late Carboniferous glacio-eustatic sea-level changes, 303–11, figs
Mayo, NW, Inishkea Division as Dalradian cover, not pre-Caledonian basement, 167–70
Mediterranean, W, crustal structure and extended continental lithosphere, Valencia trough, 813–27
megaboudins, produced by late Hercynian faulting, S Iberian Massif, 401–11
MEIGHAN, I. G., *see* GAMBLE, J. A.
Meishucun, China, Precambrian-Cambrian sequences radiometrically dated, 171–84
Melby and Walls Basins, Shetland, Devonian sediments, faulting in, 28–9
MELNYK, D. H., *see* VAN BUCHEM, F. S. P.
Mendips, England, Silurian palaeomagnetic evidence and closure of Iapetus Ocean, 867–70

MENUGE, J. F., *see* KENNEDY, M. J.
——, *see* WILLIAMS, D. M.
mesozoic, Antarctic Peninsula, palaeoceanographic significance of radiolarian faunas, 1003–20
——Norway, timing of cementation in offshore sandstones, 479–82
——, and Tertiary, French Subalpine Chains, organic maturation in, 503–15
metamorphic evolution, of Southwestern Gneiss Region, Solund, Norway, and *PT* path of Devonian collapse tectonics, 385–94
metamorphism, in arc-continent collision, Ungava orogen, 241–2
——, contact, fluid flow direction during, Burstall Granite, Australia, 693–6
——, Himalayan, Kashmir, *P-T*, time constraints, 753–73
metamorphism and burial maturation, in Devonian, Orcadian Basin, 497–9
metamorphosed basalt, source for felsic magmas, C America, 569–79
metazoan evolution, at Precambrian-Cambrian boundary, 655–68
metazoan macroevolution, 634–5
microfossils, and phytoplankton radiation across Precambrian-Cambrian boundary, 647–54
microgranites, granophyres, petrogenesis of, Slieve Gullion, NE Ireland, 93–106
MILLER, M. M. & DIXON, T. H., late Proterozoic evolution of the northern part of the Hamisana zone, northeast Sudan: constraints on Pan-African accretionary tectonics, 743–50, figs
MILLWARD, D., *see* PETTERSON, M. G.
Minches, NW Scotland, strike-slip motion in, and palaeomagnetism in Lewisian complex, 127–37
mineral prospecting, by GOLDFINDER knowledge-based system, 465–71
mineralization, Pb-Zn, buried, E Midlands, mapped by using expert system, 455–63
MITCHELL, C., *see* WIDDOWSON, M.
MOCZYDLOWSKA, M., *see* VIDAL, G.
Moho, seismic and flexed, Valencia trough region, W Mediterranean, 814–15, 819–21
mollusca, interglacial, Anglian, Malvern Hills, 87–8
MOORLOCK, B. S. P., *see* BARCLAY, W. J.
Moray Firth, organic maturation in Devonian of, 494–5
MORLEY, C. K., tectonic and sedimentary evidence for synchronous and out-of-sequence thrusting, Larache–Acilah area, Western Moroccan Rif, 39–49, figs
——, WESTCOTT, W. A., STONE, D. M., HARPER, R. M., WIGGER, S. T. & KARANJA, F. M., tectonic evolution of the northern Kenyan Rift, 333–48, figs
Morocco, Precambrian–Cambrian sequences radiometrically dated, 171–84
MORTIMER, N. & ROSER, B. P., geochemical evidence for the position of the Caples-Torlesse boundary in the Otago Schist, New Zealand, 967–77, figs
MORTON, M. D. B., *see* BOTTRELL, S. H.
Moss, S., organic maturation in the French Subalpine Chains: regional differences in burial history and the size of tectonic loads, 503–15, figs
MUELLER, P. A., *see* DALLMEYER, R. D.
MUIR-WOOD, R. & MALLARD, D. J., when is a fault 'extinct'?, 251–5
Nanga Parbat massif, N Pakistan, geology and tectonics, 557, maps 558–9; 560–7
NEC deep seismic profile, and Iapetus convergence zone, 909–11
NELL, P. A. R., *see* HOLDSWORTH, B. K.
Neogene–Recent Maghrebian foredeep, at Gela Nappe, SE Sicily, 547–56
New Zealand, position of Caples-Torlesse boundary in the Otago Schist, 967–77
——, Waimihia mixed magma eruption, Taupo Volcano, 193–207
Newfoundland, Birchy Complex of, extension into Ireland, 159–62
——, petrogenesis of Grenvillian Potato Hill pluton, 923–35
non-volcanic continental margins, crustal structure, N Atlantic, 847–53
North Atlantic continental margins, crustal structure and magmatism, 841–54
North East Coast (NEC) deep seismic reflection profile, and Carboniferous magmatism in Iapetus convergence zone, 907–14
North Sea, Triassic sedimentation, tectonic and climatic control of, Beryl Basin, 13–26
Northern Igneous Complex, Guernsey, melt modification between granitic pipes and diorites, 709–20
Norway, cementation in offshore Mesozoic sandstones, evidence from fluid inclusions, 479–82
——, N, geophysics of Honningsväg igneous complex, 373–81
——, *PT* path of Devonian collapse tectonics in Scandian mountain belt, 383–400
——, Scandian terrane accretion, tectonic model, 727, maps 728–9; 730–41
O–Sr–Nd isotope geochemistry, of Glen Dessary syenite, NW Scotland, 209–20
O'CONNER, P. D., *see* WILLIAMS, D. M.
oceanic chemistry, at Precambrian–Cambrian boundary, 624–5
——, at Proterozoic–Phanerozoic transition, 618–19
oceanic crust, C Indian Ocean Basin, intraplate deformation in, 955–66
Old Red Sandstone, Orcadian Basin, extensional tectonics versus inversion, 27–37
OLESEN, O., *see* TORSVIK, T. H.
omission, and hardgrounds, Jurassic, W India, global significance of, 328–30
orbital forcing control, of cycle periodicities, Late Carboniferous, 308–9
Orcadian basin, Devonian extensional tectonics versus Carboniferous inversion, 27–37
——, Scotland, organic maturation, thermal history, hydrocarbon generation, 491–502
Ordovician, biogeography of Grangegeeth terrane of, E Ireland, 3–6
Ordovician palaeolatitudes, of Borrowdale Volcanic Group, 881–8
organic maturation, in French Subalpine Chains, regional differences, 503–15
——, and hydrocarbon generation, Orcadian Basin, Scotland, 491–502
Orkney and Caithness, Devonian extensional structures in, 27–8
orogens, convergent, extension in, Pyrenees, 775–92
OSCHMANN, W., *see* FÜRSICH, F. T.
Ossa Morena zone, sinistral transpressive suture between South Portuguese Zone and, 401, maps 402–3; 404–91
Ostracoda, interglacial, Anglian, Malvern Hills, 88–9
Otago Schist, New Zealand, position of Caples-Torlesse boundary in, 967–77
OWEN, A. W., HARPER, D. A. T. & ROMANO, M., the Ordovician biogeography of the Grangegeeth terrane and the Iapetus suture zone in eastern Ireland [Special], 3–6, figs
OWEN, J. V., GREENOUGH, J. D., FRYER, B. J. & LONGSTAFFE, F. J., petrogenesis of the Potato Hill pluton, Newfoundland: transpression during the Grenvillian orogenic cycle, 923–35, figs
Ox Mountains igneous complex, granitoid emplacement in transpressive shear zone, 221–35
OXTOBY, N. H., *see* GRANT, S. M.
oxygen-isotope geochemistry, of Scourian complex, Scotland, 115–25
Pakistan, Cretaceous basaltic dykes, Jutal, Kohistan, geochemistry, petrogenesis, 107–14
——, N, geology and tectonics of Nanga Parbat massif, 557–67
palaeoatmosphere, carbon isotopes and CO_2 content of, 673–6
palaeogeography, of early Cambrian, 599–606
——, Triassic, Beryl basin, 22–4
palaeolatitudes, Ordovician, from Borrowdale Volcanic Group palaeomagnetics, 881–8
palaeomagnetic analysis, of fault gouge and dating fault movement, Anglesey, N Wales, 273–84

palaeomagnetic constraints, on closure of Iapetus Ocean, Tornquist sea, 867–70
palaeomagnetic data, and palaeolatitudes, from Borrowdale Volcanic Group, 881–8
palaeomagnetism, in Honningsvåg igneous complex, N Norway, 375–80
——, and tectonics, Lewisian complex and Minches, NW Scotland, 127–37
palaeotemperatures, during organic maturation, Devonian, Orcadian Basin, 497
Palaeozoic, Australia, dating of unusual intracratonic thrust belt, 937–54
——, Upper, tectono-sedimentary evolution of the Arabian plate, 419–29
——, Zaire, tectonic evolution of Cuvette Centrale of, 539–46
Pan-African accretion, constraints on, from Hamisana zone, Sudan, 743–50
Panama, and Costa Rica, geochemistry of young volcanism in, 569–79
passive continental margin subsidence, 803–4
Passive continental Margin Subsidence [thematic set] and:
crustal structure and magmatism of N Atlantic continental margins, 841–54
crustal structure and mechanical properties of extended continental lithosphere, Valencia trough, 813–27
Introduction: passive continental margin subsidence, 803–4
new constraints on formation of non-volcanic continental Galicia–Flemish Cap margins, 829–40
passive margins and their subsidence, 805–12
passive margins, conjugate, constraints on formation of, Galicia–Flemish Cap, 829–40
——, and their subsidence, 805–12
——, Tethyan, lithospheric stretching on, 517–32
PATON, S., active normal faulting, drainage patterns and sedimentation in southwestern Turkey, 1031–44, figs
PEACOCK, D. C. P. & SANDERSON, D. J., effects of layering and anisotropy on fault geometry, 793–802, figs
pedogenic carbonate, in geological record, 673–4
Pennine-style mineralization, 456–7
Peridotite Ridge, W Galicia Margin, 832
Permian, NE England, sequence of carbonate–evaporite basins, 1050–4
PESHWA, V. V., *see* KALE, V. S.
PETTERSON, M. G., BEDDOE-STEPHENS, B., MILLWARD, D. & JOHNSON, E. W., a pre-caldera plateau-andesite field in the Borrowdale Volcanic Group of the English Lake District, 889–906, figs
PETTERSON, M. G. & WINDLEY, B. F., field relations, geochemistry and petrogenesis of the Cretaceous basaltic Jutal dykes, Kohistan, northern Pakistan, 107–14, figs
PEUCAT, J.-J., *see* AUVRAY, B.
phosphogenesis, around Proterozoic–Phanerozoic transition, 615–20
phosphorites, late Proterozoic, Cambrian, 615–17
phosphorus, and biological carbon cycle, at Precambrian–Cambrian boundary, 621–2
phytoplankton radiation, across Precambrian–Cambrian boundary, 647–54
Pic de Port Vieux thrust, Pyrenees, post emplacement extension within, 775–92
piggyback basin, evolving stratigraphy and thrust front development, W Jaca, Spanish Pyrenees, 51–63
piggyback basins, turbidites and tectonics in Moroccan Rif, 39–49
PINARDON, J. L., *see* CHAUVET, A.
Pinatubo, 1991 eruption, magma-mixing model for S in calc-alkaline volcanics, 863–6
PIPER, J. D. A., post-Laxfordian magnetic imprint in the Lewisian metamorphic complex and strike-slip motion in the Minches, NW Scotland, 127–37, figs
Pleistocene palaeovalley-fill, Malvern Hills, 75–92
Plutonic Complex of Guernsey, magma chamber petrology in, 701–8
point bars, in M Jurassic Scalby Formation, Yorkshire, 432–7
pore water, composition of, during diagenesis, offshore Norway, 480–1
Potato Hill pluton, Newfoundland, Grenvillian transpression and petrogenesis, 923–35
POUGET, P., on Hercynian tectonometamorphic evolution of the Bosost dome (French–Spanish central Pyrenees) [reply to discussion], 157–8
Precambrian carbonates, 656–9
Precambrian macrofossils, Psammocorallia and Vendobionta, 607–13
Precambrian–Cambrian boundary, carbonates and environmental change, 655–68
——, phytoplankton radiation across, 647–54
——, research on, 1972–91, 589–92
——, role of nutrient-rich waters in transformation of fossil record, 621–9
——, zircon U-Pb ages, and, 171–84
Precambrian–Cambrian Boundary [thematic set] and:
Burgess Shale-type faunas, a review, 631–6
changes in trace fossils, across Proterozoic–Phanerozoic boundary, 637–46
early Cambrian continental reconstructions, 599–606
Introduction: background to the Cambrian explosion, 585–7
nutrient rich waters and early skeletal fossil record, 621–9
patterns of phytoplankton radiation across Precambrian–Cambrian boundary, 647–54
phosphogenesis around Proterozoic–Phanerozoic transition, 615–20
some problems of Cambrian faunal radiation, 593–8
the Precambrian–Cambrian boundary, seawater chemistry, 655–68
two decades of research on Proterozoic–Phanerozoic transition, 589–92
Vendobionta and Psammocorallia, 607–13
Precambrian–Cambrian transition, and problems of Cambrian faunal radiation, 593–8
PRIOR, D. J., *see* BUTLER, R. W. H.
Proterozoic, evolution of Hamisana zone, Sudan and constraints on Pan-african accretion, 743–50
Proterozoic crusts, North Atlantic, 483–6
Proterozoic–Phanerozoic boundary, changes in trace fossil biota across, 637–46
Proterozoic–Phanerozoic transition, geological and biological changes across, 585–7
——, phosphogenesis around, 615–20
protists, radiation of, across Precambrian–Cambrian boundary, 647–54
Psammocorallia, and Vendobionta, Vendian macrofossils, 607–13
PT path of devonian collapse tectonics, Western Gneiss Region, Norway, 383–400
pull-aparts, in anisotropic fault geometries, 798–9
Pyrenees, Hercynian tectonometamorphic evolution of Bosost dome in, 156–8
——, Jaca Basin, formation of piggyback basin, 51–63
——, post-emplacement thrust sheet extension, 775–92
pyrite deposit, Cae Coch, N Wales, genesis of, 581–4
Quaternary, Rockall Plateau, dinoflagellate biostratigraphy of, 7–12
——, Sweden, dating of faults in, 285–91
Quaternary fault systems, radiocarbon dating of, 257–60
radiocarbon dating, of Quaternary fault systems, 257–60
radiolarian faunas, Mesozoic, Antarctic Peninsula, palaeoceanographic significance, 1003–20
Rajasthan, W India, hardgrounds and basin analysis in Jurassic, 317–22
Ravenscar Group, Jurassic, Yorkshire, alluvial sandstone body in, 431–41
Rb/Sr, isotope ratios, in leucogranites, Nanga Parbat, Himalayas, 564–6

——, K-Ar techniques, used to reveal recurrent fault activity, Grimsel, Switzerland, 293–301
Rb-Sr geochronology, of Plutonic Complex, Guernsey, 704–6
Red Sea Hills, Sudan, evidence for Pan-African accretionary tectonics in, 743–50
Redcar Mudstone Formation, Yorkshire, depositional environment, cyclicity, 992–3
REE, and Yttrium, mobility during late diagenesis, 689–92
REID, I. *see* FROSTICK, L. E.
REX, D. C., *see* SEARLE, M. P.
Rharb basin, Morocco, tectonic, sedimentary evolution of, 47
ribbon sandstone bodies, in piggyback basin, W Jaca, Pyrenees, 58–61
RIDING, R., temporal variation in calcification in marine cyanobacteria, 979–89, figs
ROACH, R. A., *see* STRACHAN, R. A.
Rockall, Islay, Inishtrahull, and Early Proterozoic crustal province, N Atlantic, 483–6
Rockall Plateau, dinoflagellate biostratigraphy of Quaternary, 7–12
ROMANO, M., *see* OWEN, A. W.
ROSER, B. P., *see* MORTIMER, N.
ROYCROFT, P., *see* CLIPSTONE, D.
ROZANOV, A. YU., some problems concerning the Precambrian–Cambrian transition and the Cambrian faunal radiation, 593–8, figs
RUFFELL, A. H., early to mid-Cretaceous tectonics and unconformities of the Wessex Basin (southern England), 443–54, figs
RUNDLE, C. C., *see* SEYITOGLU, G.
RUTTER, E. H., *see* HAILWOOD, E. A.
RYAN, P. D., *see* FORD, M.
——, *see* SOPER, N. J.
S reflector, W Galicia Margin, geometry and nature, 832–3
St Peter Port gabbro, Guernsey, geochronology of, 142
——, ——, magma chamber petrology of, 701–8
SANDERSON, D. J., *see* PEACOCK, D. C. P.
Scalby Formation, M Jurassic, alluvial sandstone body in, nature and origin, 431–41
Scandian mountain belt, Norway, *PT* path of Devonian collapse tectonics in, 383–400
Scandian terrane accretion, N Scandinavian Caledonides, tectonic model for, 727–41
Scandinavia, Caledonides of, geophysics of Honningsvåg igneous complex, 373–81
Scandinavian Caledonides, tectonic model for terrane accretion, 727–41
SCOTESE, C. R., *see* MCKERROW, W. S.
Scotland, Orcadian Basin, hydrocarbon generation in, 491–502
——, E Ireland, England, Iapetus suture zone of, 697–700
——, NW, isotope geochemistry (O-Sr-Nd) of Glen Dessary syenite, 209–20
——, ——, oxygen-isotope geochemistry of Scourian complex, 115–25
——, ——, palaeomagnetism and tectonics, Lewisian complex and Minches, 127–37
——, Ratagain Granite, Palaeozoic sinistral deformation of, 858
——, Walls Boundary fault as northward continuation of Great Glen fault, 721–6
SCOTT, B. C., *see* SEYITOGLU, G.
Scourian complex, NW scotland, oxygen-isotope geochemistry, 115–25
SCRUTTON, R. A., *see* BULL, J. M.
sea level and climate, S Pyrenean basins, Tertiary, 51–2
sea-level changes, glacio-eustatic, Late Carboniferous, periodicity and magnitude, 303–11
SEARLE, M. P. & TRELOAR, P. J., 7th Himalaya-Karakoram-Tibet Workshop [conference report], 1045–7
——, WATERS, D. J., REX, D. C. & WILSON, R. N., pressure, temperature and time constraints on Himalayan metamorphism from eastern Kashmir and western Zanskar, 753–73, figs
Seatallan Dacite, of Birker Fell Formation, Ordovician, Lake District, 898
SEILACHER, A., Vendobionta and Psammocorallia: lost constructions of Precambrian evolution, 607–13, figs
seismic profiles, across continental margins, N Atlantic, 841–54
seismic reflection images, of intraplate deformation, C Indian Ocean, 955–66
Sellicks Hill Tuff, Early Cambrian, S Australia, radiometrically dated, 185–92
SERANNE, M., Devonian extensional tectonics versus Carboniferous inversion in the northern Orcadian basin, 27–37, figs
SEYITOGLU, G., SCOTT, B. C. & RUNDLE, C. C., timing of Cenozoic extensional tectonics in west Turkey, 533–8, figs
SHAW, R. D., ZEITLER, P. K., MCDOUGALL, I. & TINGATE, P. R., the Palaeozoic history of an unusual intracratonic thrust belt in central Australia based on ^{40}Ar-^{39}Ar, K-Ar and fission track dating, 937–54, figs
Shetland, Devonian extensional structures in, 28–31
——, organic maturation in Devonian of, 494–5
——, Walls Boundary fault as northward continuation of Great Glen fault, 721–6
SHRIMP age, of Early Cambrian tuff, S Australia, 185–92
Siberia, position of, early Cambrian, 602–3
SIBUET, J.-C., new constraints on the formation of the non-volcanic continental Galicia–Flemish Cap conjugate margins, 829–40, figs
Sicily, Gela Nappe of, 547–56
Silurian closure of Iapetus, and sinistral transpression, 871–80
Silurian palaeomagnetism, Mendips, and closure of Iapetus Ocean, 867–70
Silurian subduction, of Iapetus crust, 349–57
Silurian turbidites, Galway, and Iapetus closure, 349–57
Silurian-Devonian accretion tectonics, N Scandinavian Caledonides, 735–9
SINGH, I. B., *see* FÜRSICH, F. T.
SIVAM, S. P., *see* HUTCHISON, C. S.
skarns, and fluid flow during contact metamorphism, Australia, 693–6
skeletons, carbonate, phosphate, silica, organic, at Precambrian–Cambrian boundary, 625–8
Slieve Gullion Complex, NE Ireland, petrogenesis of Tertiary microgranites, 93–106
Sm-Nd data, and Early Proterozoic crustal province, N Atlantic, 483–6
SMETHURST, M. A., *see* TORSVIK, T. H.
SMITH, A. G., *see* WOOLER, D.A
SMITH, K., Carboniferous magmatism in the Iapetus convergence zone: evidence from deep seismic reflection profiles, 901–14
SMITH, I. E. M., *see* BLAKE, S.
SNYDER, D. B. *see* SOPER, N. J.
Society awards for 1992, 687–8
Solway Line, and Iapetus suture zone, from deep seismic data, 697–700
SOPER, N. J., ENGLAND, R. W., SNYDER, D. B. & RYAN, P. D., the Iapetus suture zone in England, Scotland and Eastern Ireland: a reconciliation of geological and deep seismic data [Special], 697–700
——, STRACHAN, R. A., HOLDSWORTH, R. E., GAYER, R. A. & GREILING, R. O., sinistral transpression and the Silurian closure of Iapetus, 871–80, figs.
South America, position of, early Cambrian, 604
Southern Europe, position of, early Cambrian, 604
Southern Ocean plate, motion of, Mesozoic radiolarian evidence, 1013–6
Spain, Betic Cordillera, sedimentary basin destruction in, 1021–9
——, crustal structure, extended continental lithosphere, Valencia trough, 813–27
——, Jaca Basin, Pyrenees, alluvial stratigraphy of, 51–63
Sr and Nd isotopic data, young basalts, C America, 572–4
STEWART, R. H., *see* DEFANT, M. J.
STILL, J., *see* HOLE, M. J.

STONE, D. M., *see* MORLEY, C. K.
STONE, P., *see* LINTERN, B. C.
Storstrømmen shear zone, NE Greenland, and oblique collision of Laurentia, Baltica, 368
STRACHAN, R. A., BROWN, M., D'LEMOS, R. S., ROACH, R. A. & TRELOAR, P. J., on the timing and kinematics of Cadomian deformation (Northern Brittany) [reply to discussion], 152–5
——, HOLDSWORTH, R. E. FRIDERICHSEN, J. D. & JEPSEN, H. F., regional Caledonian structure within an oblique convergence zone, Dronning Louise Land, NE Greenland, 359–71, figs
——, *see* D'LEMOS, S. R.
——, *see* DALLMEYER, R. D.
——, *see* DALLMEYER, R. D.
——, *see* SOPER, N. J.
stratigraphical procedure, discussion of guide to, 677–8
Subalpine Chains, France, regional differences in organic maturation, 503–15
subsidence mechanisms, of passive margins, 806–7
subsidence modelling, in Trench Subalpine Chains, 523–6
Sudan, Hamisana zone, Late Proterozoic evolution of, constraints on Pan-African accretion, 743, maps, 744; 745–50
sulphur, in calc-alkaline volcanics, model for behaviour in Pinatubo 1991 eruption, 863–6
sulphur isotopes, from Cae Coch pyrite deposit, N Wales, 581–2
SWAT data, and evolutionary model of Irish, Welsh Variscides, 681–2
Sweden, dating of faults in Late Quaternary of, 285–91
Switzerland, recurrent fault activity at Grimsel Test Site revealed by Rb-Sr, K-Ar techniques, 293–301
Taupo Volcano, New Zealand, Waimihia mixed magma eruption of, petrology, dynamics, 193–207
Teist Formation, Triassic, Beryl Basin, tectonic and climatic control, 16
TEMPLE, J. T., on a guide to stratigraphical procedure [discussion of: HOUSE], 677–8
terrane accretion, Arabian–Nubian shield, Sudan, 743–50
——, N Scandinavian Caledonides, tectonic model, 727–41
——, Pan-African, Sudan, 743–50
terrane biogeography, Grangegeeth, Ireland, 3–6
terrane discrimination, geochemical and petrographic bases for, Otago Schist, 971–5
Tertiary basins, synchronous and out-of-sequence thrusting in, Moroccan Rif, 39–49
Tertiary microgranites, Slieve Gullion, Ireland, petrogenesis of, 93–106
Tertiary turbidites, W Moroccan Rif, thrusting in, 39–49
Tethyan passive margins, lithospheric stretching on, 517–32
thermal history, organic maturation and burial, French Subalpine Chains, 503–15
Throstle Garth Member, aphyric basalt, of Birker Fell Formation, Ordovician, Lake District, 900
thrusting, synchronous and out-of-sequence, in turbidites, W Moroccan Rif, 39–49
TING FUNG, *see* HAILWOOD, E. A.
TINGATE, P. R., *see* SHAW, R. D.
Tinure fault, E Ireland, surface expression of Iapetus suture, 65–74
Tiout, Morocco, Precambrian–Cambrian sequences radiometrically dated, 171–84
TODD, S. P., MURPHY, F. C. & KENNAN, P. S., on the trace of the Iapetus suture in Ireland and Britain [reply to discussion], 1048–9
Tommotian Stage, Siberia, faunal changes during, related to basinal changes, 593–8
Tongue House Member, of Birker Fell Formation, Ordovician, Lake District, 900
TORNÉ, M., *see* WATTS, A. B.
Tornquist Sea, and Iapetus Ocean, new palaeomagnetic constraints on closure, 867–70
TORSVIK, T. H., OLESEN, O., TRENCH, A., ANDERSEN, T. B., WALDERHAUG, H. J. & SMETHURST, M. A., geophysical investigation of the Honningsvåg igneous complex, Scandinavian Caledonides, 373–81, figs
——, *see* TRENCH, A.
trace fossil biota, changes in, across Proterozoic-Phanerozoic boundary, 637–46
transpression, and granite magma genesis, 487–90
——, Grenvillian, and petrogenesis of Potato Hill pluton, Newfoundland, 923–35
——, sinistral, and Silurian closure of Iapetus, 871–80
transpressive shear zone, Ox Mountains, igneous emplacement in, 221–35
transpressive suture, between Ossa-Morena and South Portuguese Zones, S Iberian Massif, 401–11
Trekant Series, M Proterozoic, Greenland, in oblique-slip convergence zone, 362
TRELOAR, P. J., *see* BUTLER, R. W. H.
——, *see* SEARLE, M. P.
——, *see* STRACHAN, R. A.
TRENCH, A. & TORSVIK, T. H., the closure of the Iapetus Ocean and Tornquist Sea: new palaeomagnetic constraints [Special], 867–70, figs
——, *see* TORSVIK, T. H.
TREWIN, N. H., *see* HOLE, M. J.
Triassic fault patterns, Beryl Basin, N Sea, 19–20
Triassic sedimentation, Beryl Basin, N Sea, tectonic and climatic controls of, 13–26
Troms, Ofotfjorden, Norway, geology of, 730–2
TUCKER, M., on sequence stratigraphy of carbonate-evaporite basins: models and application to the Upper Permian (Zechstein) of northeast England and adjoining North Sea [reply to discussion], 1050–4, fig
TUCKER, M. E., the Precambrian-Cambrian boundary: seawater chemistry, ocean circulation and nutrient supply in metazoan evolution, extinction and biomineralization, 655–68, figs
turbidites, Silurian, Ireland, and timing of Iapetus closure, 349–57
Turkana basin, Kenya, timing of tetonic and igneous in, 336–8
Turkey, Cenozoic extensional tectonics in, 533–8
——, Devonian–Carboniferous tectonism in, 422
——, SW, drainage patterns, faulting and sedimentation, 1031–44
TURNER, J. P., evolving alluvial stratigraphy and thrust front development in the West Jaca piggyback basin, Spanish Pyrenees, 51–63, figs
UK Continental Shelf, Variscan structure and post-Carboniferous basin development, Western Approaches Basin, 413–17
unconformities, and tectonics, Cretaceous, Wessex Basin, 443–51
Ungava orogen, N Canada, footwall involvement during arc-continent collision, 237–48
U-Pb dating, of Cambrian tuff, S Australia, 185–92
U-Pb zircon ages, for Early Cambrian time-scale, 171–84
Valencia trough, crustal structure and extended continental lithosphere, 813–27
VALLEY, J. W., *see* CARTWRIGHT, I.
VAN BUCHEM, F. S. P., MELNYK, D. H. & MCCAVE, I. N., chemical cyclicity and correlation of Lower Lias mudstones using gamma ray logs, Yorkshire, UK, 991–1002, figs
VAN STAAL, C. R., *see* WINCHESTER, J. A.
VANSTONE, S. D., *see* WRIGHT, V. P.
Variscan front, queried, S Ireland, 919
Variscan structure, influence on post-Carboniferous basin devlopment, SW UK continental shelf, 413–17
Variscides, of Ireland, Wales, crustal evolutionary model from SWAT data, 681–2
VAUGHAN, A. P. M. & JOHNSTON, J. D., structural constraints on closure geometry across the Iapetus suture in eastern Ireland, 65–74, figs
Vazon dykes, Guernsey, geochronology of, 144

Vendian, and Cambrian trace fossils, 637–46
Vendian macrofossils, Psammocorallia and Vendobionta, 607–13
Vendian trace fossils, 610–11
Vendian–Cambrian boundary, carbonates and environmental change across, 655–68
Vendobionta, and Psammocorallia, Vendian macrofossils, 607–13
Vercors, and Chartreuse massifs, French Subalpine Chains, organic maturation in, 505–6
VIDAL, G. & MOCZYDLOWSKA, M., patterns of phytoplankton radiation across the Precambrian–Cambrian boundary, 647–54, figs
VIDLER, P., *see* WADGE, G.
VISERAS, C. & FERNANDEZ, J., sedimentary basin destruction inferred from the evolution of drainage systems in the Betic Cordillera, southern Spain, 1021–9
VITA-FINZI, C., radiocarbon dating of late Quaternary fault segments and systems, 257–60, figs
vitrinite reflectance, and organic maturation in Orcadian Basin, 493
——, and thermal, burial history, French Subalpine Chains, 505–6
volcanic continental margins, crustal structure and magmatism, N Atlantic, 842–7
volcanism, young, in Panama and Costa Rica, geochemistry of, 569–79
WADGE, G., geological applications of GIS [conference report], 672
——& VIDLER, P., Expert Systems: can they aid geological interpretation and evaluation? [conference report], 149
——, YOUNG, P. A. V. & MASON, D. C., simulation of geological processes using an expert system, 455–63, figs
Waihimia mixed magma eruption, Taupo Volcano, New Zealand, 193–207
WALDERHAUG, H. J., *see* TORSVIK, T. H.
Wales, N, genesis of Cae Coch pyrite deposits, 581–4
——, ——, palaeomagnetic dating of fault movement in, 273–84
WALKER, G. P. L., *see* BLAKE, S.
Walls Boundary fault, Shetland, northward continuation of Great Glen fault, 721–6
Walsh power spectral analysis, of cycle periodicity, Late Carboniferous, 305–6
WATERS, D. J., *see* SEARLE, M. P.
WATTS, A. B. & TORNÉ, M., crustal structure and the mechanical properties of extended continental lithosphere in the Valencia trough (western Mediterranean), 813–27, figs
WESCOTT, W. A., *see* MORLEY, C. K.
Wessex Basin (S England), Cretaceous tectonics and unconformities in, 443–54
Western Approaches Basin, SW UK continental shelf, Variscan structures in, 413–17
Western Moroccan Rif, synchronous and out-of-sequence thrusting in, 39–49
WHEELER, J., *see* BUTLER, R. W. H.
WHITE, N., *see* WOOLER, D. A.
WHITE, R. S., crustal structure and magmatism of North Atlantic continental margins, 841–54, figs
White House Silts, Anglian, Malvern Hills, 80–2
WIDDOWSON, M. & MITCHELL, C., on a geological map of the southern Deccan Traps, India and its structural implications [reply to discussion], 475–81
WIGGER, S. T., *see* MORLEY, C. K.
WILLIAMS, D. M., O'CONNER, P. D. & MENUGE, J., Silurian turbidite provenance and the closure of Iapetus, 349–57, figs
WILLIAMS, H., *see* WINCHESTER, J. A.
WILLIAMS, I. S., *see* COMPSTON, W.
——, *see* COOPER, J. A.
WILSON, C. J. N., *see* BLAKE, S.
WILSON, R. N., *see* SEARLE, M. P.
WINCHESTER, J. A., WILLIAMS, H., MAX, M. D. & VAN STAAL, C. R., does the Birchy Complex of Newfoundland extend into Ireland? [Special], 159–62, figs
WINDLEY, B. F., *see* PETTERSON, M. G.
WIRE 1/1b, deep seismic profile, and deep structure of S Ireland, 915–22
WOOLER, D. A., SMITH, A. G. & WHITE, N., measuring lithospheric stretching on Tethyan passive margins, 517–32, figs
WRIGHT, V. P. & VANSTONE, S. D., further comments on using carbon isotopes in palaeosols to estimate the CO_2 content of the palaeoatmosphere [reply to discussion], 673–6
Wrighthow Member, basalts, of Birker Fell Formation, Ordovician, Lake District, 898
WYATT, A. R., on modern and ancient continental hypsometries [discussion of: ALGEO & WILKINSON], 859–62, figs
Xanthi pluton, Greece, emplacement of, 855–7
Yorkshire, Lower Lias, chemical cyclicity in, 991–1002
YOUNG, P. A. V., *see* WADGE, G.
Yttrium, and REE, mobility during late diagenesis, 689–92
ZAGORCEV, I. S., on the Oligocene Xanthi pluton, northern Greece: a granodiorite emplaced during regional extension [discussion of: KOUKOUVELAS & PE-PIPER], 855–7, fig
Zagros Rift, and U Palaeozoic Arabian tectonics, 422–3
Zaire, tectonics of Cuvette Centrale, 539–46
Zebra Series, U Proterozoic–L Cambrian, Greenland, in oblique-slip convergence zone, 362–13
ZEITLER, P. K., *see* SHAW, R. D.
ZHANG ZICHAO, *see* COMPSTON, W.
zircon dating, by ion-probe, of Early Cambrian tuff, S Australia, 185–92
zircon U-Pb ages, for Early Cambrian time-scale, 171–84